

Using Nanosecond Laser Pulses to Debond the Glass-EVA layer from Silicon Photovoltaic Modules 80 4.1 Introduction ...

In this paper, a new method using nanosecond laser pulses is demonstrated to induce transient melting selectively at the EVA-Si interface. This impulsive heating method can cleanly ...

The detachment of this glass-EVA layer from the silicon (Si) is a significant challenge in recycling end-of-life PV panels. To tackle this issue, a novel impulsive light-debonding technique was devised and ...

PVDEBOND aims to incorporate debonding-on-demand additives to existing PV encapsulant foils to enable fast, clean, and precise separation and recycling of materials.

Clean and efficient delamination of PV modules was achieved. EVA controlled swell can separate complete silicon wafers. The ultrasonic field provides energy for the rupture of crosslinking ...

Based on the interface of occurrence within a PV module, delamination can be classified into four categories, glass-encapsulant, cell-encapsulant, encapsulant-backsheet, ...

During my PhD, I developed a laser-based technology for debonding structural adhesives and polymers. The key idea is to convert high-intensity photon energy into thermal energy, which breaks the...

The company uses no toxic chemicals, releases no pollutants into the environment, and recovers up to 90 percent of the materials in a solar panel, says Francesco ...

At certain concentrations and temperatures, limonene can induce appropriate expansion of EVA, efficiently breaking the interface bonds without causing excessive expansion and damaging the ...

Explore cutting-edge photovoltaic microgrid technologies that integrate solar power with energy storage solutions, enhancing efficiency and sustainability in energy management.

Web: <https://scmindustries.co.za>